Cari Produk Disini..

Jual Theodolite Topcon DT 209 Harga Murah HARI INI SAJA!!

26 April 2017 - Kategori Blog

2

Jual Theodolite Topcon DT 209 Harga Murah HARI INI SAJA!!

Dapatkan sekarang digital theodolite topcon dt 209 harga murah hanya di CV. Akurasi Misi Survey kami memeberikan lengkap dengan aksesoris yang bisa anda dapatkan dengan mudah dan garansi lama untuk pemesanan dan konsultasi bisa lewat **chat** atau **Tlp. 0812-1089-5144**

Digital Theodolite Topcon DT 209

- Sighting collimator Double

Electronic Angle Measurement

- Method Absolute Reading
- Detecting 2 horizontal sides, 1 vertical sides
- Minimum reading 1"/5" arc seconds, 0.2mgon/1mgon mgon
- Accuracy 5 arc seconds, 71mm Diameter Circle
- LCD 7 segments

Compensator

- Sides 2
- Serial signal connector RS-232C
- Tilt sensor Vertical
- Data Output
- Serial signal connector RS-232C

Optical Plummet Telescope

- Magnification 3x power
- Field of view 3° degrees

Level Sensitivity

- Plate level 40°/2mm
- Circular level 10°/2mm

Water Protection

- Standard IP66 rating

Power Supply

- Battery 4AA batteries

Operating time Alk.

- Theodolite only 140 Hours

Environmental

- Operating Temp -20 to +50 degrees C

Keunggulan Theodolite Topcon DT 209

Theodolite Topcon

Cari Produk Disini..

Single Display and Functional Keys
Sebuah layar LCD besar dan panel lima tombol sederhana menyediakan Anda dengan antarmuka yang sederhana untuk dengan cepat melakukan pengukuran sudut horizontal dan vertikal.

Ultimate in Continuous Operation
Dengan nilai IP-66 untuk debu dan air perlindungan, DT 209 teodolit digital mempromosikan survei produktif bahkan dalam cuaca yang keras. Teleskop yang juga dibangun untuk mencegah kelembaban dan menghilangkan lensa fogging. Kompak dan ringan, alat survey ini menawarkan hingga 170 jam pengukuran terus menerus dalam mode sudut menggunakan empat baterai AA alkaline standar.

Paket theodolite Topcon ini dilengkapi dengan tas keras, plumb bob, tool kit, tutup pelindung tahan air, kain lensa bebas serat, baterai dan garansi distributor 1 tahun.

- Akurasi 9 Detik
- Pembesaran 26x
- Optical Plummet
- Waterproof dan tahan debu
- Masa hidup baterai 140 jam

Theodolite Topcon Paket Penjualan :

- Unit Theodolite Topcon DT-209
- Alumunium Tripod
- Rambu / Bak Ukur

BELI SEKARANG DAPATKAN HARGA TERBAIK DARI KAMI

HUBUNGI KAMI

Theodolite Topcon

Cari Produk Disini..

-

	Stadia ratio	100	100	100	100	100	100
	Stadia constant	0	0	0	0	0	0
	Sighting collimator	Double	Double	Double	Double	Double	Double
Laser Pointer	Method	N/A	N/A	N/A	Focusing	Focusing	Focusing
	Wave length/Power	N/A	N/A	N/A	633nm/0.6mW	633nm/0.6mW	633nm/0.6mW
	Laser class	N/A	N/A	N/A	Class II	Class II	Class II
Display	Unit	2 sides	2 sides	1 side	2 sides	2 sides	1 side
		LCD 7segments	LCD 7segments	LCD 7segments	LCD 7segments	LCD 7segments	LCD 7segments
Data output	Serial signal conn.	RS-232C	N/A	N/A	RS-232C	N/A	N/A
Illumination	Display	Yes	Yes	Yes	Yes	Yes	Yes
	Reticle	Yes	Yes	N/A	Yes	Yes	N/A
Compensator	Tilt sensor	Vertical	N/A	N/A	Vertical	N/A	N/A
	Compensating range	±3'	N/A	N/A	±3'	N/A	N/A
Optical Plummet	Magnification	3x	3x	3x	3x	3x	3x
	Field of view	3°	3°	3°	3°	3°	3°
	Focusing	0.5m~∞	0.5m~∞	0.5m~∞	0.5m~∞	0.5m~∞	0.5m~∞
Level Sensitivity	Plate level	40"/2mm	40"/2mm	60"/2mm	40"/2mm	40"/2mm	60"/2mm
	Circular level	10'/2mm	10'/2mm	10'/2mm	10'/2mm	10'/2mm	10'/2mm
Water protection	Standard	IP66	IP66	IP66	IP66	IP66	IP66
Power supply	Battery	4AA batteries	4AA batteries	4AA batteries	4AA batteries	4AA batteries	4AA batteries
Operating time	Theodolite only	140h	150h	170h	140h	150h	170h
	Laser only	N/A	N/A	N/A	80h	80h	80h
	Theodo. & laser	N/A	N/A	N/A	45h	45h	45h
Operating temp.		-68°F~+122°F	-68°F~+122°F	-68°F~+122°F	-68°F~+122°F	-68°F~+122°F	-68°F~+122°F
		(-20°C~+50°C)	(-20°C~+50°C)	(-20°C~+50°C)	(-20°C~+50°C)	(-20°C~+50°C)	(-20°C~+50°C)
Weight		9lbs (4.1kg)	9lbs (4.1kg)	7.5lbs (3.4kg)	9.25lbs (4.2kg)	9.25lbs (4.2kg)	8lbs (3.6kg)

Topcon Positioning Systems, Inc.
7400 National Drive
Livermore, CA 94550
www.topconpositioning.com

Specifications subject to change without notice

P/N: 7010-0630 Rev. C Printed in U.S.A. 2/09

Offices Worldwide

TOPCON CORPORATION
75-1 Hasunuma-cho, Itabashi-ku
Tokyo 174-8580, Japan
Phone: 3-3558-2520
Fax: 3-3960-4214
www.topcon.co.jp

Topcon Europe Positioning B.V.
Essebaan 11, 2908 LJ Capelle a/d Ijssel
THE NETHERLANDS
Phone: 010-4585077
Fax: 010-4585045
www.topconeurope.com

Topcon Corporation Beijing Office
Block A No.9
Kangding Street
Beijing Economic Technological Development Area
Beijing 100176 • CHINA
Tel: +86-10-6780-2799
Fax: +86-10-6780-2790

Your local Topcon dealer is:

jual theodolite topcon dt 209, jual theodolite topcon dt 205l, jual theodolite topcon dt 209l, jual theodolite topcon dt 207, jual theodolite topcon dt 202l, jual theodolit topcon, harga theodolite topcon, harga theodolite topcon dt 200, harga theodolite topcon dt 209, harga theodolite topcon 209, jual theodolite topcon, harga theod digital theodolite topcon dt 205l, jual digital theodolite topcon, h manual, harga theodolite merk topcon